

# Material Safety Data Sheet

Teco Diagnostics

Doc #: L16-M71

## Section I - Name and Product

<i>Address (Street, State, and Zip Code)</i>		
1268 N. Lakeview Ave., Anaheim California 92807 USA		
<i>Product Name</i>	<i>Part No.</i>	<i>Contact</i>
Urine Reagent Strips	URS – 8, URS – 8L	Quality Assurance
<i>Chemical Family or Product Type</i>	<i>Date of Preparation</i>	<i>Emergency Telephone No.</i>
Urine Reagent Strips	Revised 11-15-01	Weekdays 8:00-4:30 PST Tel: 800-222-9880 or (714) 693-7788 Fax#: (714) 693-3838

## Section II - Composition

<i>CHEMICAL NAME</i>	<i>%</i>	<i>CAS#</i>
Buffered Salts On Plastic Strips	Mixture	
Other components either non-hazardous or at concentrations below that requiring hazardous listing.		

## Section III - Physical Data

<i>Boiling Point</i> N/A	<i>Melting Point</i> N/A	<i>Specific Gravity</i> <0.1 (Water = 1)
<i>Vapor Pressure</i> <0.1 (Air = 1)	<i>Percent Volatile by Vol.</i> <10	<i>Vapor Density</i> N/A
<i>Evaporation Rate</i> <0.1 (Water = 1)	<i>Solubility in Water</i> Insoluble	<i>Appearance/Odor</i> 8 small square paper fastened to a plastic strip.

## Section IV - Fire and Explosive Hazard Data

<i>Flash Point (Method Used)</i> N/A	<i>Flammable Limits</i> N/A	<i>LEL</i>	<i>UEL</i>
<i>Extinguishing Media</i> Use media appropriate for surrounding materials.			
<i>Special Fire Fighting Procedures</i> N/A			
<i>Explosion Potential</i> None identified			

## Section V - Health and Hazard Data

<i>Threshold Limit Value (TLV)</i> N/A
<i>Effects of Overexposure</i> None
<i>Emergency and First Aid Procedures</i> <b>Ingestion:</b> Have patient drink 2-8 oz. glasses of water or milk to dilute and contact physician for further care. <b>Skin contact:</b> Avoid contact. <b>Inhalation:</b> Not considered health risk.

## Section VI - Reactivity Data

Stability: Unstable      Stable →      Polymerization: May Occur      Will Not Occur →

This product is stable as sold if used as directed.

*Incompatibility (Materials to avoid)*

N/A

*Decomposition Products*

N/A

*Conditions to be avoided*

N/A

## Section VII - Spill and Disposal Procedures

*Steps to be taken in case of Spills or Leaks*

Sweep up or pick up and place in a disposable container.

*Waste Disposal Method*

Follow Federal, State and local regulations.

## Section VIII - Personal Protection Information

*Respiratory Protection (Type)*

Not Required

*Ventilation*

*Mechanical*

Good General Ventilation.

*Local Exhaust*

N/A

*Eye Protection*

Goggles with side shields recommended during testing.

*Protective Gloves*

Gloves Required

*Other Protective Equipment*

Laboratory Coat: Eyewash: Emergency Shower.

*Measures to be taken during repair and maintenance equipment that has been in contact with the material*

Wash equipment with water. Dispose as in VII above

## Section IX - Special Precautions

*Precautions to be taken in Handling and Storage*

Store at temperature and conditions as listed on Product Label. See Product Label or Package Insert for instructions on handling urine strips during test.

*Other Precautions*

Avoid contact or ingestion.

## Section X - Other Information

This Product is labeled in accordance with CFR21 (Food and Drugs), Section 809.10.

The information contained herein has been compiled from data presented in various technical sources believed to be accurate. Teco Diagnostics makes no warranties and assumes no liability in connection with the use of this information. It is the user's responsibility to determine the suitability of this information and to assure the adoption of necessary safety precautions.

N/A - Not Applicable or Not Available

**TECO DIAGNOSTICS**